

**IN THE CLAIMS**

1. (Currently Amended) A three dimensional insulator construction which comprises:

a substrate layer adhered to a heat insulation layer to form an insulating layer

said insulating layer having a central rectangular or square portion, a plurality of side sections, each of said side sections being attached to only one side of said central rectangular or square portion,

two of said side sections being positioned in opposing positions to each other having two wing sections attached thereto,

means for securing said wing sections to a side section positioned adjacent to each of said wing sections,

and a rod construction having a first set of horizontal rods and a second set of horizontal rods joined by a set of vertical rods that extend through ~~said folded blank construction insulating layer~~ substrate layer and said insulating layer at two points each of said first set of horizontal rods having a detachable rod section to permit folding of said substrate layer and said insulating layer when said detachable rod sections are detached from said rod construction.

2. (Previously Amended) The insulator construction of claim 1 wherein said securing means comprises mating hooks and loops.

3. (Previously Amended) The insulator construction of claim 1 which includes an exposed heat reflective layer secured to said insulating layer.

4. (Canceled). An insulating construction comprising the blank construction of any one of Claims 1, 2 or 3 folded in a three dimensional

configuration wherein each of said wing sections is attached to an adjacent side section and

a rod constructing having a first set of horizontal rods and a second set of horizontal rods joined by a set of vertical rods that extend through said folded blank construction at two points.

5. (Previously Added) The insulator construction of any one of claims 1, 2 or 3 which include a pivot rod attached to one of said side sections, said pivot rod being attached to a substrate to permit said insulator construction to pivot about said pivot rod.

6. (Previously Added) The insulator construction of any one of claims 1, 2 or 3 wherein said vertical rods are detachable from said first set of horizontal rods and said second set of horizontal rods thereby to permit folding of said insulator construction.

7. (Previously Added) The insulation construction of claim 5 wherein said vertical rods are detachable from said first set of horizontal rods and said second set of horizontal rods thereby to permit folding of said insulator construction.

CLEAN CLAIMS

1. A three dimensional insulator construction which comprises:
  - a substrate layer adhered to a heat insulation layer to form an insulating layer
  - said insulating layer having a central rectangular or square portion, a plurality of side sections, each of said side sections being attached to only one side of said central rectangular or square portion, two of said side sections being positioned in opposing positions to each other having two wing sections attached thereto, means for securing said wing sections to a side section positioned adjacent to each of said wing sections,
  - and a rod construction having a first set of horizontal rods and a second set of horizontal rods joined by a set of vertical rods that extend through said substrate layer and said insulating layer at two points each of said first set of horizontal rods having a detachable rod section to permit folding of said substrate layer and said insulating layer when said detachable rod sections are detached from said rod construction.
2. The insulator construction of claim 1 wherein said securing means comprises mating hooks and loops.
3. The insulator construction of claim 1 which includes an exposed heat reflective layer secured to said insulating layer.
5. The insulation construction of any one of claims 1, 2 or 3 which include a pivot rod attached to one of said side sections, said pivot rod being

attached to a substrate to permit said insulator construction to pivot about said pivot rod.

6. The insulator construction of any one of claims 1, 2 or 3 wherein said vertical rods are detachable from said first set of horizontal rods and said second set of horizontal rods thereby to permit folding of said insulator construction. adhered to a heat insulation layer to form an insulating layer

7. The insulator construction of claim 5 wherein said vertical rods are detachable from said first set of horizontal rods and said second set of horizontal rods thereby to permit folding of said insulator construction.